Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claim 1 (currently amended): A chromatography column distribution system (101) comprising:

a set of first bed support ribs (107) extending radially from <u>a-an</u> inner, first radial position (R1) near the centre of the plate to <u>a-an</u> outer radial position nearer to the periphery (109) of the plate and at least one set of intermediate bed support ribs (117, 119) starting at an intermediate radial position (R2, R3) and extending to an outer radial position nearer to the periphery (109) of the plate (101)[[,]];

the bed support rib (107) having an elongated rib body (111);

whereby channels (113) are formed between at least one set of adjacent bed support ribs (107, 117, 119);

and the desired local effective channel height is intended to vary in accordance with a predetermined formula from said first radial position R1 to said outer radial position, wherein the transverse cross-sectional areas of said ribs (107, 117, 119) or said channels are adapted such that the actual local effective channel height is within 15% of the desired local effective channel height over portions of the distribution system situated between said first radial position (R1) and said outer radial position,

wherein the total length of said portions correspond to at least 80% of the distance between said first radial position (R1) and said outer radial position

wherein the elongated rib body (111) has an adaptable width extending from the inner radial portion (R1) of the plate to the outer radial position nearer to the periphery (119); and

wherein the adaptable width of the elongated rib body (111) is adjusted to a tapered portion (116) of the intermediate bed support rib (117) and wherein the adaptable width of the elongated rib body (111) is adjusted to a tapered portion (121) of the intermediate bed support rib (119).

Claim 2 (previously presented): The chromatography column distribution system (101) of claim 1, wherein the transverse cross-sectional areas of said ribs (107, 117, 119) or said channels are adapted such that the actual local effective channel height is within 10% of the desired local effective channel height.

Claim 3 (previously presented): The chromatography column distribution system (101) of claim 1, wherein the transverse cross-sectional areas of said ribs (107, 117, 119) or said channels are adapted such that the actual local effective channel height is within 5% of the desired local effective channel height.

Claim 4 (previously presented): The chromatography column distribution system (101) of claim 1, wherein said local effective channel height varies inversely in

proportion to the radial distance from (R1).

Claim 5 (currently amended): The chromatography column distribution system (101)

of claim 1, wherein said portions bed support ribs (107, 117, 119) correspond to at

least 90% of the distance between said first radial position (R1) and said outer radial

position.

Claim 6 (currently amended): The chromatography column distribution system (101)

of claim 1, wherein said portions bed support ribs (107, 117, 119) correspond to at

least 95% of the distance between said first radial position (R1) and said outer radial

position.